ENGLISH



# Why to upgrade from Talk2m free to Talk2m light or pro? **SOLUTION SHEET**

SSH-0085-00 - en\_US Publication date 05/04/2024





#### Important User Information

#### Disclaimer

The information in this document is for informational purposes only. Please inform HMS Networks of any inaccuracies or omissions found in this document. HMS Networks disclaims any responsibility or liability for any errors that may appear in this document.

HMS Networks reserves the right to modify its products in line with its policy of continuous product development. The information in this document shall therefore not be construed as a commitment on the part of HMS Networks and is subject to change without notice. HMS Networks makes no commitment to update or keep current the information in this document.

The data, examples and illustrations found in this document are included for illustrative purposes and are only intended to help improve understanding of the functionality and handling of the product. In view of the wide range of possible applications of the product, and because of the many variables and requirements associated with any particular implementation, HMS Networks cannot assume responsibility or liability for actual use based on the data, examples or illustrations included in this document nor for any damages incurred during installation of the product. Those responsible for the use of the product must acquire sufficient knowledge in order to ensure that the product is used correctly in their specific applications, codes and standards. Further, HMS Networks will under no circumstances assume liability or responsibility for any problems that may arise as a result from the use of undocumented features or functional side effects found outside the documented scope of the product. The effects caused by any direct or indirect use of such aspects of the product are undefined and may include e.g. compatibility issues and stability issues.

Copyright © 2024 HMS Networks

# **Table of Contents**

1. Preface	1
1.1. About This Document	1
1.2. Document History	1
1.3. Related Documents	1
1.4. Trademark Information	1
2. Introduction	2
3. Talk2m Pricing Plans	3
4. Upgrade your Talk2m free plan to a light or pro plan	5
5. Ewon User Groups and Pools (pro plan only)	6
6. Concurrent Connections	8
6.1. Increase the numbers of concurrent connections (pro only)	8
6.2. Reserved Concurrent Connection	9
7. Security	1
7.1. Password Management1	1
7.2. Two-Factor Authentication 1	.1
7.3. Firewall Levels 1	.2
8. Online / Offline Notifications	.4
9. Import other Talk2m Accounts	.5
10. Automatic Reporting1	.6
10.1. Financial Report 1	.6
10.2. Connection Report 1	7

# 1. Preface

## **1.1. About This Document**

This document explains how to upgrade a Talk2m free+ account to a Talk2m light or pro account and take advantage of all Talk2m light and pro features.

For additional related documentation and file downloads, please visit www.ewon.biz/support.

## **1.2.** Document History

Version	Date	Description
1.0	2015-05-30	First release
1.1	2024-03-29	Added: Talk2m light plan

## **1.3. Related Documents**

Document	Author	Document ID
Security Features for Talk2m light and pro	HMS Networks	AUG-0057-00

## 1.4. Trademark Information

Ewon<sup>®</sup> is a registered trademark of HMS Industrial Networks SA.

All other trademarks mentioned in this document are the property of their respective holders.

# 2. Introduction

Talk2m is a secure industrial connectivity service in the cloud allowing easy remote access and remote monitoring of industrial devices. With Talk2m's VPN client software, Ecatcher, users can connect to their remote equipment for programming and troubleshooting. Users can also use M2web or Talk2m web portal to monitor remote HMIs, PCs, and webservers.




Figure 1. Talk2m environment

All newly created Talk2m accounts are by default using the Talk2m free plan.

This free plan offers the core services necessary to perform remote access and remote monitoring of devices.

Talk2m light and pro plans include all the same features available with Talk2m free plan along with additional features (depending on the light or pro plan) useful to many organizations.

This document presents these additional features and where to find them.

# 3. Talk2m Pricing Plans

## 1) Differences between our Talk2m plans:

#### Table 1. Talk2m free vs light vs pro

Features	Talk2m free <sup>(1)</sup>	Talk2m light	Talk2m pro <sup>(2)</sup>
Standard prepaid credit package	Free of charge	480€	900€
Invoiced credit	Free of charge	40€/month	75€/month or more (depends on <u>additional</u> usage)
Number of gateways	Unlimited	Unlimited	Unlimited
Number of users	Unlimited	Unlimited	Unlimited
Included Concurrent VPN connection(s) (3)	1(4)	2 <sup>(4)</sup>	5
Additionnal Concurrent VPN connection	-	-	15€
(+ 4GB VPN Trqffic included)			
Included monthly VPN traffic	3GB <sup>(4)</sup>	5 GB <sup>(4)</sup>	20GB
Additionnal VPN traffic	-	-	4€/GB
Concurrent mobile connections	5(4)	5 (4)	Unlimited
(M2web and Ecatcher mobile)			
Included SMS	-	50 SMS/month	50 SMS/month
(Wake-up, alarm)			
Additionnal SMS	0,30€/SMS	0,30€/SMS	0,15€/SMS
(Wake-up, alarm)			
Included monthly datamailbox upload	5 million datapoints (4)	7 million datapoints <sup>(4)</sup>	10 Millions Datapoints
Additionnal datamailbox upload	-	-	4€/Million Datapoints
Other Talk2m account imports	-	-	Included
Talk2m visualization	-	-	Included
Advanced user rights management	-	-	Included
Advanced Security Features	-	-	Included
Service Level Agreement	-	Included	Included
Remote Firmware Management	-	-	Included (only available for Ewon Cosy+ range)

#### NOTES:

<sup>(1)</sup> - Talk2m free is available for 12 months per devices added on your Ecatcher account. Each time you buy new device (s), the counter will be reset and starts a new 12-month period free of charges.



## IMPORTANT

The number of devices you bought in a row/register on the same day doesn't affect the 12 month period.

<sup>(2)</sup> - Talk2m pro accounts exceeding the allocated VPN monthly traffic or the allocated datamailbox data usage are subject to overage charges.

<sup>(3)</sup> - Concurrent VPN connections refer to the number of simultaneous users connected to an Ewon device through a single Talk2m account.

<sup>(4)</sup> - Free/ light plans feature limits that cannot be extended. If you want to use more that the defined limits you must upgrade to a pro plan.



## NOTICE

For pricing in different currencies than EUR, please contact your local HMS representative.

# 4. Upgrade your Talk2m free plan to a light or pro plan

#### 1. How to order a plan?

To upgrade an existing Talk2m free account to a Talk2m light or pro plan, account administrators can contact their HMS Sales representative providing the account ID and name to order a standard prepaid credit package.

Before and after an account upgrade, users can continue to use the same version of Ecatcher and same Talk2m credentials to access their account. No new software or credentials are required after upgrading. All Ewons associated with the Talk2m account before the upgrade will remain associated with the Talk2m account; no changes on the Ewon devices side are required.

If an organization has multiple Talk2m free accounts, they can consolidate them into a single Talk2m pro account by upgrading one of the accounts to a Talk2m pro account and importing the Ewon from the other Talk2m free accounts into the Talk2m pro account as described later in this document.

#### 2. Get a pro trial instantly:

The administrator of a Talk2m free account can request to try Talk2m pro for free during 3 months by following the below procedure:

- a. In Ecatcher, select the Account option.
- b. Under the **Credit & Contract** section, click on the "**Request Talk2m Pro...**" button to submit an upgrade request.

redit & Contract				
redit Balance on 8/27/20: EUR 15.00				
ontract (valid from : 8/27/20)				
	Included	Used	Unit price	
Concurrent connection	1	0 currently in use	N/A	
VPN Traffic	*	0 GB	N/A	
DataMailbox usage	*	0 M datapoints	N/A	
SMS	0	0	EUR0.30	
ou have a Talk2M Free+ account earn more about Talk2M Pro alk2M FAQ				Credit and payments Request Talk2M Pro

- c. A wizard will pop-up asking to:
  - i. Verify your account information.
  - ii. Verify your contact details.
  - iii. Accept the terms and conditions of Talk2m Pro.
- d. Then disconnect from your account and log in again, you'll see that your free account has turned into a pro account.

You now have a 3-months free trial of Talk2m pro to test all Talk2m pro features



#### IMPORTANT

Be aware that there **are no hidden fees** while you're discovering our pro plan through a trial mode.

After the 3-months free trial period, your account will be automatically downgraded to a free account if you didn't opt for a pro plan before the end of the trial period.

## 5. Ewon User Groups and Pools (pro plan only)



## WARNING

These features are **not included** in Talk2m **free** and **light** plan.

If you wish to access these features, you must upgrade to a Talk2m pro plan.

Ewon **User Groups** and **Pools** are used with a Talk2m pro account to define which users have access to which Ewons and what permissions those users have on Ewon Pools and other User Groups.

By default, a Talk2m account has two User Groups, an **Administrator group** that has all permissions and can access all Ewons and a **Users group** that can access Ewons in the default Ewon pool.

The default Ewon pool is called the **Device pool**.




Figure 2. User permissions

**User Groups** and **Ewon Pools** can be used to create more complex access rights. For example, within a company, the company's service organization might need its engineers to be able to access any Ewon at any site.

Within that organization, though, only the service managers should be able to add or delete Ewons to the account or grant or revoke access rights to their engineers.

In addition, the company might want to allow users at each site to have access to view the KPIs from the Ewons at their own locations but only through M2web.

By creating multiple **User groups** and **Ewon Pools** and granting appropriate permissions to each group, the company can make sure that users only access the equipment for which they have authorization.




Figure 3. Overview of Groups and Pools

# **6.** Concurrent Connections

We call "**Concurrent connections**", the number of simultaneous connections made by users to the same or different Ewons from Ecatcher on M2web or Ecatcher mobile.

With a Talk2m free account, only one user can connect through Ecatcher to any Ewon at a time in the account. Therefore, other users who need to connect to Ewons through Ecatcher at the same time must wait until the first user disconnects.

Talk2m light and pro accounts allow multiple users to connect to one or several Ewons at the same time.



Figure 4. Example of possible Ecatcher connections with a Talk2m pro account

These simultaneous Ecatcher connections are referred to as concurrent connections.

Concurrent connections refer only to Ecatcher connections; simultaneous connections through M2web and Ecatcher Mobile are are considered separately.

On the picture above, if each user connects using Ecatcher, they will use 3 concurrent connections.

Features	Talk2m free	Talk2m light	Talk2m pro
Concurrent Ecatcher Connections	1	2	> 5
Concurrent Mobile Connections (M2web and Ecatcher Mobile)	5	5	Unlimited

## 6.1. Increase the numbers of concurrent connections (pro only)



#### WARNING

These features are **not included** in Talk2m **free+** and **light** plan.

By default, a Talk2m pro account supports up to five Ecatcher concurrent connections. However, this number can be adjusted if needed by changing your plan subscirption.

The number of concurrent connections supported by a Talk2m account can be found in the **Credit & Contract** section of the **Account** overview in Ecatcher.

Account administrators can modify the contract to increase or decrease the number of concurrent connections in the **Credit & Contract** area. Changing the number of concurrent connections will impact the price of the Talk2m plan and changes are applied immediately.

E Ecatche	r (7.0.0)					-	
Ε	We have updated our Talk2m Terms of U	Jse and Privacy Policy to	comply with GDPR, which is go	ood for you! Click 'Hide' to prevent th	is message from	n showing up again.	. Hide
						Logout	English 🗸 ?
Ewons	Account Properties: ewon_su	pport - Ref 01856					
*	Log 🛗 Reports						
Users	Security Policy						
Pools	Password : Minimum 8 characters. At least one letter At least one digit OR one special c						
Groups	Two-factor authentication : The 'Remember this PC' option is a 'Remember this PC' never expires.	allowed.				Modify password	nalia
	Two-factor authentication is enabled fo Two-factor authentication is NOT enab			and 29 other user(s).	Modify 2-Fa	ctor Authentication	
Account	Credit & Contract						
<b>\$</b>	Credit Balance on 3/28/24:						
Firmware	Contract (valid from : 2/21/24)						
		Included	Used	Unit price			
	Concurrent connections	5 ( <u>modify</u> )	0 currently in use	€15.00 / CC			
	VPN Traffic	20 GB	0.27 GB	€4.00 / GB additional traffic			
	DataMailbox usage	10 M datapoints	0 M datapoints	€4.00 / M additional datapoint	ts		
	SMS	50	2	€0.15			
Settings	You have a Talk2m Pro v2 account <u>Talk2m FAQ</u>					Credit and pay	ments
Settings				VPN usage: 0%	6 Credit:-1.786,9	90 €	

Figure 5. Concurrent connection in Credit & Contract section

## 6.2. Reserved Concurrent Connection



## WARNING

This feature is **not included** in Talk2m **free+** and **light** plan.

If all the available concurrent connections are in use, any additional user who tries to connect through Ecatcher to an Ewon will receive an error message.

The user must then wait until one of the other users disconnects or until an administrator disconnects a connected user.

Under some circumstances, it could be helpful to reserve one or more of the concurrent connections for a specific user group.

Reserved connections are defined in the **Reserved Concurrent Connections** section of the **Advanced Settings** in the **Account** screen in Ecatcher.

E Ecatcher	(7.0	0)		- 0	×
Ε	W	e have updated our Talk2m Terms of Use and Privacy Policy to comply with GDPR, which is good for you! Click 'Hide' to prevent this message from	showing up aga	in. H	lide
			Logout	Englis	ו× ?
Ewons	Ac	count Properties: ewon_support - Ref			
*	M	Log 🛗 Reports			
Users		Contacts			
Ħ		Mr Vict		Modify	
Pools		Custom fields			
<b>*</b> [		Ewon custom field Name 1: PLC User custom field Name 1: cle1			
Groups		Ewon custom field Name 2: Country User custom field Name 2: cle2			
		Ewon custom field Name 3: IP address User custom field Name 3: cle3		Modify	
Account	ſ	Reserved concurrent connections			
<b>\$</b>	L	1 concurrent connection (out of 50) is reserved for members of group 'Administrators'		Modify	
	0				-
Firmware		Ewon auto-registration			_
		When a new Ewon registers in talk2M via the Ewon configuration wizard, it will be created automatically in the pool 'Device pool'		Modify	
		Global Registration Key: /	Export Key to :	SD Card	
		API tokens			
		Here you can manage your API tokens.			
\$		An API token allows your applications to be authenticated in the DataMailbox API.			
Settings		2 API tokens are currently defined.		Manage	
		VPN usage: 0% Credit:-1.786,9	90 €		- 0

Figure 6. Reserved concurrent connections

# 7. Security

Talk2m has a variety of configurable security features to allow account administrators to match their Talk2m account's security levels with their corporate security policies.

Talk2m light and pro account offer additional configuration options with additional levels of restrictions and more opportunities for customization.

More detailed information about the security features of Talk2m accounts is available in *Security Features* for Talk2m pro from Related Documents (page 1).

## 7.1. Password Management

Password management is an important part of any organization's security policy.

With a Talk2m free+ account, administrators were limited to two possible password policies.

- A standard policy with passwords with a minimum of 8 characters including at least one letter and one digit or special character.
- A enforced policy with passwords of at least 8 characters including one letter, one digit, and one special character.

For Talk2m lights and pro accounts, administrators have more flexibility in setting the password policies to fit the requirements of their organization.

Administrators can:

E Edit Password Policy	$\times$
Minimum length: 8 🗘 characters	
✓ At least one letter	
<ul> <li>At least one digit</li> <li>At least one special character</li> <li>At least one digit OR one special character</li> </ul>	
Passwords expire after       10       Cays         Users must create at least       1       Cays	ords
OK Can	cel

Figure 7. Password Policy

- Specify the minimum length and set the requirement of the password.
- Force users to reset their passwords after a specified period of time.
- Require a minimum number of unique passwords before a user can reuse one of their previous passwords.

## 7.2. Two-Factor Authentication

Like Talk2m free+ accounts, Talk2m light/pro accounts support two–factor authentication.

However, in a Talk2m light and pro account, two-factor authentication is configured separately from the password policy.

In addition, the **Remember this PC** option can be enabled or disabled separately from enabling or disabling two-factor authentication in general.

If the Remember this PC option is enabled, administrators can also configure an expiration time.

When the option expires, the user will need to authenticate with a text message passcode before being able to login again.

E Edit Two-factor authentication Policy	×
Two-factor authentication is enabled by default for new u	sers.
The 'Remember this PC' option is allowed.	
Remember this PC expires after 30 🗘 days.	
ОК Сал	cel

Figure 8. Two-factor authentication

## 7.3. Firewall Levels

Talk2m offers remote access to devices connected to Ewon routers.

Ecatche	er (7.0.0)		-	
			demo [ref: eWON_sales] Logout	English $\sim$
E	Active connection			
vons				
<b>Sers</b>	Talk2m — Anthine 008	LAN: ) Machine equipped with VIPA Speed	I7 PLC and HMI	Disconne
	····· <u>IP Camera</u> ···· VIPA Speed7 PLC		04/08/16 test by me	
ools				
	~		💶 Open log 🛛 🛨 Ad	d message
	My Ewons			
oups	+ Add 🗹 Properties 🔟 Log 🔀 Discor	mart 🖸 Befrach 💽 View man	Pool All ~ Q Search	
Jups	Add Properties D Log N Discon	mett refresh refresh hap	Poor All v G search	
	Status 🔿	Name	Firmware	Ser
	Connected	Machine 008	14.8s0	
ount	🗇 Online	Machine 07	14.850	
		Machine 07	14.830	
c#	🔊 Online	Machine 07	14.850	
-0				
	🔊 Online	Machine 11	14.8s0	
ware	🔊 Online 🔊 Online	Machine 11 Machine 009	14.8s0 14.8s0	
<b>Ware</b>	<ul> <li>◊ Online</li> <li>◊ Online</li> <li>◊ Online</li> </ul>	Machine 11 Machine 009 Machine 001	14.8s0 14.8s0 14.8s0	
<b>K</b>	Online     Online     Online     Online     Online	Machine 11 Machine 009 Machine 001 Machine 004	14.850 14.850 14.850 14.850 14.850	
nware	Online     Online     Online     Online     Online     Online     Online	Machine 01 Machine 009 Machine 001 Machine 004 Machine 002	14.8s0 14.8s0 14.8s0 14.8s0 EW_11_3s0_MA	
nware	Online     Online     Online     Online     Online     Online     Online     Online	Machine 11 Machine 009 Machine 001 Machine 004 Machine 002 VNC_RDP_Demo	14.850 14.850 14.850 14.850 EW_11_350_MA 14.850	
hware	Online	Machine 11 Machine 009 Machine 001 Machine 004 Machine 002 VNC_RDP_Demo Machine 06	14.850 14.850 14.850 14.850 EW_11_3S0_MA 14.850 22.150	
ware	Online	Machine 11 Machine 009 Machine 001 Machine 004 Machine 002 VNC_RDP_Demo Machine 06 Machine 03	14.850 14.850 14.850 14.850 EW_11_350_MA 14.850 22.150 22.150	
1ware	Online	Machine 11 Machine 009 Machine 001 Machine 004 Machine 002 VNC_RDP_Demo Machine 03 Machine 03 Machine 10	14.850 14.850 14.850 14.850 EW_11_350_MA 14.850 22.150 22.150 14.850	
nware	Online	Machine 11 Machine 009 Machine 001 Machine 004 Machine 002 VNC_RDP_Demo Machine 03 Machine 03 Machine 10 Machine 005	14.850 14.850 14.850 EW_11_350_MA 14.850 22.150 22.150 14.850 14.850	
Nware	Online	Machine 11 Machine 009 Machine 001 Machine 004 Machine 002 VNC_RDP_Demo Machine 06 Machine 03 Machine 10 Machine 005 Machine 013	14.850 14.850 14.850 14.850 EW_11_350_MA 14.850 22.150 22.150 14.850 14.850 14.850	
tings	Online     Online	Machine 11 Machine 009 Machine 001 Machine 004 Machine 002 VNC_RDP_Demo Machine 06 Machine 03 Machine 10 Machine 005 Machine 013 Smart Building 001	14.850 14.850 14.850 14.850 EW_11_3S0_MA 14.850 22.150 22.150 14.850 14.850 14.850 14.850	

Figure 9. Ewon properties

However, it is recommended to limit which devices on the Ewon's LAN are accessible or limit access to only certain users. All Talk2m accounts plans offer configurable firewall levels to restrict device access.

With a Talk2m light or pro account, when device access is restricted, administrators can grant access for all users or restrict access to only specified user groups. See Ewon User Groups and Pools (pro plan only) (page 6) chapter.

lachine 008 Machine equipped	with VIPA Speed7 PLC and HMI		Add LAN Devi
		ry HTTP Server, SNMP Agent, Usbip Enumerator	Add Gateway
	roxies can be used by connected users		Dation Bate
MPI / Profibus / PPI 102		also reachable through the eWON transparent gateway feature (IP t	
1	reachable by connected users.		Edit Services
PLC discovery is enabled	Disable		
eWON	НТТР		Remove
IP Camera			
Speed7 PLC			
TD LIN 4	VAIC Destructed		Properties
TP HMI	VNC Password :		Properties.
all:			
all: Standard	VNC Password : High Gateway and <b>essentials Ewon services</b> is co	Enforced	Properties

Figure 10. Firewall status

Along with the **Standard** and **High** firewall levels included in a Talk2m free+ account, Talk2m light and pro offer two additional firewall levels: **Enforced** and **Ultra**:

- At the **Enforced** firewall level, administrators also have ability to restrict access to the Ewon's gateway services including its Ethernet to serial gateways and its proxy gateways.
- At the **Ultra** firewall level, access to services such as the Ewon's web server, ftp server, and USB over IP feature can be restricted.

# 8. Online / Offline Notifications



## WARNING

This feature is **not included** in Talk2m **free+** and **light** plans, since *Pools and Groups features are not included* in Talk2m light and free plan.

A device pool of a Talk2m pro account can be configured to send out email notifications if an Ewon belonging to the pool stays offline for an extended time.

This feature is especially useful when monitoring critical systems.

Administrators can specify:

- An offline duration of 3 hours, 6 hours, 12 hours, 1 day, or more.
- The notification list which can include entire user groups, individual users, or individual email addresses.

Ecatcher (7.0.0)		_	dame for failure	- I X
<b>E</b> Pool Properties: Demo			demo [ref: eWON	_sales] <u>Logout</u> English ~ <b>?</b>
Ewons 🗲 Back to pools 🛅 Delete	G Offline notification	×		
Demo Users	Send an email when Ewons of this pool are offline for at least Send the notification to :	t: 3 hours 🗸		
All demo units at eWON sa Administrators of this pool : Jean	[sdr] @ewon.biz	Add user group		Modify
	@ewon.biz	Add user		
Pools Ewons		Add email		
	7	Remove		
Machine 001       Machine 06         Groups       Machine 02       Machine 07         Machine 03       Machine 03       Machine 00         Machine 04       Machine 07       Machine 07         Machine 005       Machine 07       Machine 07				
Offline notification		OK Cancel		
Firmware An offline notification will be sent	after 3 hours to DETOLLENAERE Simon [sdr], fmt@ewon.biz, lps@e	ewon.biz		Modify
Hide advanced settings				
	VPN usage: 0%	DataMailbox usage: 13%	Credit:1.025,30 €	<b>ý</b> 🔋

Figure 11. Notification online / offline status

# 9. Import other Talk2m Accounts



## WARNING

This feature is **not included** in Talk2m **free** and **light** plan.

Sometimes it is useful to consolidate multiple Talk2m free accounts into a single Talk2m pro account. Typically, one Talk2m free account will be converted to a Talk2m pro account. Then the Ewons on the other Talk2m free accounts must be moved to the Talk2m light or pro account.

An Talk2m import wizard within Ecatcher makes this process simple.

The wizard is accessible from the Advanced settings of the Account Properties in Ecatcher.

Valid administrator credentials for the source Talk2m account are required as part of the import process. The Ewons can be imported into an existing Ewon pool, or a new pool can be created for them during the import process.

The settings of the source account such as their user lists, pools, Ewon LAN devices, and permissions are not imported.

.og 🛗 Reports		-
зюрат кедізітаціон кеў. Аот эвтора госэар тврет сээргетэрргег го	Import all Ewons Wizard ×	
API tokens	This wizard helps you import all Ewons from another account into this account ( <b>demo</b> ).	
Here you can manage your API tokens.	The Ewons will be removed from their current account and imported into this	
An API token allows your applications to be authenticated in the DataMa	account.	
16 API tokens are currently defined.	The configuration files of the Swons are not affected by this operation, making it safe even if the Ewons are already in p. oduction. Please note that the Ewons will be disconnected from Talk2m to complete the operation. According to their	Manage.
M2U	communication settings, the Ewons will reconnect automatically within minutes. Note that the settings of the source account (such as users, pools, permissions,)	
There is no entry.	are NOT imported into account demo.	Modify.
Import All Ewons from another account	Nexi, > Cancel	

Figure 12. Import Ewons

# **10.** Automatic Reporting

## **10.1. Financial Report**

It is important to monitor the current credit balance in order to reorder new service packages in a timely fashion and prevent the termination of the service.





# Talk2M Financial statement — 2024-04-02

22, Av. Robert Schuman 1400 Nivelles eWON Administrative Contact(s) Technical Contact(s): Talk2M Account: demo
Point of Sale: Ewon HQ
Email:

login used by server for automatic user creation for livedem...

#### Monthly billing : April 2024

2024-04-01 to 2024-04-02

	Included	Additional	Unit Price	Total Price
Traffic (GB)	3000.0	0.00		0.00 EUR
Datamailbox upload (million datapoints)	10.0	0.00		0.00 EUR
SMS	50	0	0.00	0.00 EUR
Concurrent connections	1000		0.00	0.00 EUR
	Total			0.00 FUR

### **Monthly Total**

Number of Ewon devices	
Total traffic	
Total Data uploaded to Datamailbox (million datapoints)	
Total M2Web API calls	8
Total authentication SMS	0
Total other SMS	0
Total emails	0

Account histo	ory	Account Balance on 2024-04-02:	EUR
Date	Description	To	otal
2024-03-31	Monthly consumption (March 2024)	0.00 EU	UR
2024-02-29	Monthly consumption (February 2024)	0.00 EU	UR

#### Figure 13. Example of a financial report

## Only for pro accounts:

Every month, the account contacts (as specified in the Contacts screen of the Account information in Ecatcher

Ecatcher) receive a detailed financial statement containing the information of the current account balance and charges for the month.

The report can also be manually downloaded from the **Credits and Payments** screen of the **Account information** in Ecatcher.

E	Credit and pa	yments		
wons	Back to account			
*	Credit balance on (	2/04/24, 14:03:49 : €		
Jsers	Current month con	sumption: 0,00 € 🛛 🖺 <u>Financial Report</u>		
		Connection Log Report		
	Date 🔿		Description	Amount
ools	31/01/10	Monthly consumption (January 2010)		0,00 €
- Г <b>•</b>	28/02/10	Monthly consumption (February 2010)		0,00 €
	28/02/10	Monthly consumption (February 2010)		0,00 €
oups	31/03/10	Monthly consumption (March 2010)		0,00 €
oups	30/04/10	Monthly consumption (April 2010)		0,00 €
	31/05/10	Monthly consumption (May 2010)		0,00 €
	<b>1</b> 20/05/10	Monthly consumption (June 2010)		0,00 €
8	30/06/10	wonany consumption (salic 2010)		
count	30/06/10 31/07/10	Monthly consumption (July 2010)		0,00 €

Figure 14. List of financial report

## **10.2.** Connection Report

For many organizations, being able to track who has connected to different remote assets is an important part of their business practice.

The **Connection Log Report** documents every connection to an Ewon.

Administrators can easily see which users connected to which Ewon, the date and duration of the connection, and the type of remote connection. Information about the amount of traffic through the Ecatcher VPN tunnel, DataMailbox storage, and API calls is available by device.

The current month's connection log report can be downloaded as a PDF and previous month's logs can be downloaded in multiple file formats to allow for easy data import into other applications.